



1 TO 4 ISOLATED VIBRATION TRANSMITTER CHANNELS OR 5 TO 8 (UNISOLATED TRANSMITTERS SHARE A COMMON LEG. DO NOT REVERSE POLARITY OR COMMON CONNECTIONS.)



MATERIAL: FINISH:		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. ALL CORNERS BROKEN TO .010 MIN RADIUS AND TOLERANCES ARE: FRACTIONS: DECIMALS: $\pm 1/64$.XX $\pm .01$ $\pm 1^*$.XXX $\pm .005$ ANGLES: $\pm 1^*$ SURFACE FINISH $64 \sqrt{\quad}$		APPROVALS DRAWN BY: A. Wilson CHECKED BY: APPROVED BY: DATE: 12-12-16		METRIX HOUSTON, TEXAS USA	
THIS DOCUMENT AND ALL INFORMATION HEREON IS THE PROPERTY OF METRIX INSTRUMENT CO. APPROVAL MUST BE OBTAINED BEFORE IT IS REPRODUCED OR INFORMATION HEREON IS ISSUED TO A THIRD PARTY. THIS DOCUMENT MUST BE RETURNED UPON REQUEST.				APPLICATION: DW IX USED ON		WIRING DIAGRAM, DATAWATCH IX, 8 CHANNEL DRAWING NO. 1659907 REV. B	
NEXT ASSY		DO NOT SCALE DRAWING		SCALE: 1:1		SHEET: 1 of 1	